




SERIES 'K' FILTER CHAMBERS



PROCESS WATER / CLEANERS PARTS WASHERS / CHEMICALS

- Carbon steel, 304 or 316 stainless steel construction
- Large capacity
 - 448 cartridge
 - 26.4 sq.ft multi-bag
- 150 PSI OR 300 PSI pressure rating
- Swing bolt cover closure
- Consult Sales Department for options

The Series 'K' Metal Filter Chambers provide excellent value and are available in either a cartridge or bag design and with a choice of carbon steel, 304 or 316 stainless steel construction. Cartridge chambers range in size from a single 10" cartridge to 448-10" cartridge capacity. Bag chambers are from 0.5 sq. ft. to 26.4 sq. ft. of surface area. These chambers are ideal for either recirculatory or single pass filtration in either series or parallel flow configurations. The wide range of sizes, styles and options means that due to chemical compatibility or temperature considerations require a metal filter chamber

CARTRIDGE CHAMBERS



SINGLE, 3 & 6 - ROUND CARTRIDGE CHAMBERS

FEATURES:

- Carbon steel or stainless steel construction
- EPDM elastomers standard (Viton® optional)
- Swing bolt cover closure with eye nuts
- 300 PSI pressure rating (single)
150 PSI pressure rating (3-round and 6-round)
- 316 SS internals
- Differential, drain, and vent ports
- Adjustable support legs
- 2-part epoxy finish on carbon steel



SERIES 'K' | CARTRIDGE & BAG FILTER CHAMBERS

C-207
Page 2

2900 MacArthur Blvd. Northbrook, IL. USA 60062 www.serfilco.com (800) 323 - 5431

TO ORDER, use Price Code Number

MODEL NUMBER ^{1, 2}	NUMBER OF 10" CARTS.	CONN. SIZE	PRICE CODE NO. ^{1, 2}	DIMENSIONS (in)				SHIP WT. (lbs)
				A	B	C	D	
SINGLE CARTRIDGE CHAMBERS								
KCS10S-1	1	1" NPT	78-1850	4.5	12.5	14.7	3.5	34
KCS20S-1	2		78-1851	4.5	22.5	24.7	3.5	42
KCS30S-1	3		78-1852	4.5	32.5	34.7	3.5	50
KCS40S-1	4		78-1853	4.5	42.5	44.7	3.5	58
3-ROUND CHAMBERS								
KCS60(2)S-1½	6	1½" NPT	78-1854	6.6	24.5	23.8	4.1	85
KCS90(3)S-1½	9		78-1855	6.6	34.5	33.8	4.1	110
KCS120(4)S-1½	12		78-1856	6.6	44.5	43.8	4.1	135
6-ROUND CHAMBERS								
KCS120(2)S-2	12	2" NPT	78-1857	8.6	24.5	23.8	5.4	120
KCS180(3)S-2	18		78-1858	8.6	34.5	33.8	5.4	145
KCS240(4)S-2	24		78-1859	8.6	44.5	43.8	5.4	170


¹ Model and Price Code Number shown for carbon steel construction.

- for 304 SS change **first S** in Model No. to **4SS** and add **S4** to Price Code No.


- for 316 SS change **first S** in Model No. to **6SS** and add **S6** to Price Code No.

² For Viton elastomers, add **-V** to Model No. and **V** to Price Code No.

SINGLE




3-ROUND and 6-ROUND





MULTI-ROUND CARTRIDGE CHAMBERS



FEATURES:


- Carbon steel or stainless steel construction
- EPDM elastomers standard (Viton optional)
- Bearing assisted davit assembly
- Swing bolt cover closure with eye nuts
- 150 PSI pressure rating
- 316 SS internals
- Differential, drain and vent ports
- Heavy duty support legs
- 2-part epoxy finish on carbon steel

Consult Sales Department for options

Filter cartridges ordered separately
see Bulletin M-109

TO ORDER, use Price Code Number

MODEL NUMBER ^{1,2}	NO. OF 10" CARTS.	DIA. A (in)	CONN. SIZE FLANGE	PRICE CODE NO ^{1,2}	DIMENSIONS (in)			SHIP WT (lbs)
					B	C	D	
KCS330(3)S-3F	33	12	3"	78-1860	54.7	70.9	10.0	410
KCS440(4)S-3F	44	12	3"	78-1861	64.7	80.9	12.5	420
KCS600(3)S-4F	60	16	4"	78-1862	55.7	71.9	10.0	480
KCS800(4)S-4F	80	16	4"	78-1863	65.7	81.9	12.5	490
KCS1040(4)S-4F	104	18	4"	78-1864	66.2	81.4	12.5	545
KCS1500(3)S-6F	150	24	6"	78-1865	57.2	73.4	12.5	635
KCS2000(4)S-6F	200	24	6"	78-1866	67.2	83.4	16.5	645
KCS2340(3)S-6F	234	30	6"	78-1867	57.9	74.1	12.5	705
KCS3360(3)S-8F	336	36	8"	78-1868	60.5	76.4	16.5	1010
KCS4480(4)S-8F	448	36	8"	78-1869	70.5	86.4	20.7	1150



¹ Model and Price Code Number shown for carbon steel construction.

- for 304 SS change **first S** in Model No. to **4SS** and add **S4** to Price Code No.
- for 316 SS change **first S** in Model No. to **6SS** and add **S6** to Price Code No.

² For Viton elastomers add **-V** to Model No. and **V** to Price Code No.

DIA. A	E	F	G
12"	11.0	9.2	10.0
16"	13.0	10.8	11.5
18"	14.0	11.8	12.0
24"	17.0	14.8	16.5
30"	20.0	17.8	20.8
36"	25.0	20.8	24.7



BAG CHAMBERS

SINGLE BAG CHAMBERS




**Single Bag
Chambers
4", 6", 8" Dia.**

FEATURES:

- Carbon steel or stainless steel construction
- EPDM elastomers standard (Viton optional)
- Swing bolt cover closure with eye nuts
- 300 PSI pressure rating (4" dia.)
150 PSI pressure rating (6" & 8" dia.)
- 316 SS strainer basket
- Differential, drain and vent ports
- Adjustable support legs
- 2-part epoxy paint on carbon steel

Consult Sales Department for options
Filter bags ordered separately



KBS6 & KBS8



SPECIFICATIONS

Housing lid has a 3-bolt swing closure with a vent port. Connections are as noted with standard side inlet and bottom outlet.

Housing is supplied with two differential pressure ports to measure the differential pressure across the filter bag. A two-part epoxy finish is applied on the carbon steel vessels to maximize the life of the housing; stainless steel vessels are supplied with a

satin finish. Basket material is constructed of 316 stainless steel with 9/64" perforations to act as a strainer or to accept a liquid filter bag. Basket for KBS6 and KBS8 chamber seats onto an "O"-ring in the basket support. Adjustable tripod leg assembly is supplied with housing.

KBS4 chamber is rated at 300 PSI. KBS6 and KBS8 chambers are rated at 150 PSI.

TO ORDER, use Price Code Number


MODEL NUMBER ^{1, 2}	SURFACE AREA (sq. ft.)	DIA. A (in)	BASKET SIZE (in)	CONN. SIZE	PRICE CODE NO. ^{1, 2}
KBS406-1	0.5	4.5	3.9 x 6 (#3)	1" NPT	78-1800
KBS412-1	1.0	4.5	3.9 x 12 (#4)	1" NPT	78-1801
KBS618-11/2	2.0	6.6	5 x 18 (#8)	1 1/2" NPT	78-1802
KBS630-11/2	3.4	6.6	5 x 30 (#9)	1 1/2" NPT	78-1803
KBS815-2	2.3	8.6	6.7 x 15 (#1)	2" NPT	78-1804
KBS830-2	4.4	8.6	6.7 x 30 (#2)	2" NPT	78-1805

¹ Model and Price Code Number shown for carbon steel construction.

- for 304 SS change **S** in Model No. to **4SS** and add **S4** to Price Code No.

- for 316 SS change **S** in Model No. to **6SS** and add **S6** to Price Code No.

² For Viton elastomers, add **-V** to Model No. and **V** to Price Code No.



Threaded (NPT)
Bottom outlet

MODEL NUMBER	DIMENSIONS (in)			SHIP WT. (lbs)
	B	C	D	
KBS406-1	3.0	0.5	12.3	35
KBS412-1	3.0	0.5	17.5	40
KBS618-1 1/2	4.2	.75	25.3	90
KBS630-1 1/2	4.2	.75	35.2	115
KBS815-2	5.3	1.0	24.7	115
KBS830-2	5.3	1.0	36.2	135

Side outlet and flanged connections also available



MULTI-ROUND BAG CHAMBERS

FEATURES:

- Carbon steel or stainless steel construction
- EPDM elastomers standard (Viton optional)
- Uses multiple #2 size bags
- Bearing assisted davit assembly
- Swing bolt cover closure with eye nuts
- 150 PSI pressure rating
- 316 SS strainer basket
- Differential, drain and vent ports
- Heavy duty support legs
- 2-part epoxy finish on carbon steel

Consult Sales Department for options

Filter bags ordered separately

TO ORDER, use Price Code Number

MODEL NUMBER ^{1,2}	SURF. AREA ³ (sq.ft)	NUMBER OF BASKETS	DIA. A (in)	CONN. SIZE FLANGE	PRICE CODE NO. ^{1,2}	DIMENSIONS (in)						SHIP WT. (lbs)
						B	C	D	E	F	G	
KBS1830-3F	13.2	3	18	3"	78-1814	43.0	59.0	5.8	11.0	11.9	12.0	435
KBS2230-4F	17.6	4	22	4"	78-1815	52.5	70.0	6.5	14.5	15.0	16.5	590
KBS2630-4F	26.4	6	26	4"	78-1816	52.5	70.0	6.5	14.5	15.0	16.5	555
KBS3030-6F	35.2	8	30	6"	78-1817	50.5	71.0	8.0	19.1	18.0	20.8	850

¹ Model and Price Code Number shown for carbon steel construction.

- for 304 SS change **S** in Model No. to **4SS**



and add **S4** to Price Code No.

- for 316 SS change **S** in Model No. to **6SS** and

add **S6** to Price Code No.

² For Viton elastomers, add **-V** to Model No. and **V** to Price Code No.

³ Basket size 6.7" x 30" (#2)





TWIN CAPACITY BAG CHAMBER



FEATURES:

- 2 Model KBS830 housings with common connections
- Increased flow rates
- Lower differential pressure
- Carbon steel or stainless steel construction

MODEL NUMBER ^{1, 2}	SURF. AREA ³ (sq.ft)	CONN. SIZE FLANGE	PRICE CODE NO. ^{1, 2}
KBS882-3F	8.8	3"	78-1806

¹ Model and Price Code Number shown for carbon steel construction.

- for 304 SS change **S** in Model No. to **4SS**

and add **S4** to Price Code No.


- for 316 SS change **S** in Model No. to **6SS** and

add **S6** to Price Code No.

² For Viton elastomers, add **-V** to Model No. and **V** to Price Code No.

³ Basket size 6.7" x 30" (#2)

OEM 100 PSI BAG CHAMBER



Our OEM, 100 PSI liquid bag housing offers a superb quality vessel for lower pressure applications. The vessel has a dome base and includes all of the favorable features of our standard 150 PSI vessel.

FEATURES:

- Carbon steel or 304 stainless steel construction
- 100 PSI pressure rating
- Low pressure drop with #12 size bag
- Strainer basket
- Side and bottom outlets

MODEL NUMBER ^{1, 2}	SURF. AREA ³ (sq.ft)	CONN. SIZE	PRICE CODE NO. ^{1, 2}
KBS100-2	5.5	2" NPT	78-1807

¹ Model and Price Code Number shown for carbon steel construction.

- for 304 SS change **S** in Model No. to **4SS**

and add **S4** to Price Code No.

² For Viton elastomers, add **-V** to Model No. and **V** to Price Code No.

³ Basket size 8" x 30" (#12)



AVAILABLE MEDIA

BULLETIN
C-207_H
11/02/2020
Page 8 of 8

MEDIA USED PER CHAMBER / SYSTEM

TYPE	FLOW RATE (GPH)	DOE CARTRIDGE	SOE CARTRIDGE	DISC	BAG	CARBON	Ø6" PLEATED CARTRIDGES
'L'	10 to 59	✓	✓		✓	✓	
'S'	Up to 68	✓	✓	✓	✓	✓	
'G'	Up to 125	✓	✓	✓	✓	✓	
'JM'	2,200 to 5,400	✓	✓	✓	✓	✓	✓
'HM'	Up to 3,200		✓				✓
'PLB'	Up to 9,000		✓				✓
'FM'	5,400 to 9,400	✓	✓	✓		✓	✓
MEGA FLO	6,000 to 30,000	✓	✓	✓		✓	✓
GUARDIAN	3,500 to 8,500	✓	✓	✓	✓	✓	✓



'L'



'S'



'G'



'JM'



'HM'



'PLBHE'



'FM'



'MEGA-FLO'



'GUARDIAN'